

12-07-99

Docket: UK9-99-128

28

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Application Transmittal

Assistant Commissioner of Patents

Washington, DC 20231

Sir:

Transmitted herewith for filing is the Patent Application of:

Inventor: John Anthony Beaven, et al

For: Data Processing Activity Lifecycle Control

Enclosed are:

__X__ _3_ Sheets of Formal Drawings

X An assignment of the invention to International Business Machines, Armonk, NY 10504

X___ Declaration and Power of Attorney

The filing fee has been calculated as shown below:

Other Than Small Entity

For:	No. Filed	No. Extra	Rate	Fee
Basic Fee				\$ 760.00
Total Claims	23-20 =	3	3 x \$ 18.00=	\$ 54.00
Indep. Claims	2 - 3 =	0	0 x \$ 78.00=	\$.00
Multiple Dependent Claim Presented			\$260.00	\$.00
			TOTAL	\$ 814.00

Deposit Account Authorization:

Please charge Deposit Account No. 09-0461 in the amount of \$814.00. A duplicate copy of this sheet is enclosed. The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 09-0461. A duplicate copy of this sheet is enclosed.

X Any additional filing fees required under 37 C.F.R. §1.16.

X Any patent application processing fees under 37 C.F.R. §1.17.

Date:

December 6, 1999

From: Edward H. Duffield

IBM Corporation

IPLaw, Dept. T81/Bldg. 062

P.O. Box 12195

Research Triangle Park, NC 27709

Respectfully submitted,

By: Lowerd H. Duffield Attorney of Record

Reg. No. 25,970

Telephone:

919-254-1301

Fax:

919-254-4330

EXPRESS MAIL LABEL NO: <u>EK246343665US</u> DATE OF DEPOSIT: **AUC.** 6, 1999

I hereby certify that this paper and fee are being deposited with the United States Postal Service Express Mail Post Office to Addressee service under 37 CFR §1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents, Washington, D.C. 20231.

Dianne Lane

NAME OF PERSON MAILING PAPER AND FEE

SNATURE OF PERSON MAILING PAPER AND FEE

Hersita Construction that the first state of the state of

INVENTORS: John Anthony Beaven, Amanda Elizabeth Chessell, Catherine Griffin, Iain Stuart Caldwell Houston, Martin Mulholland, Ian Robinson, and David John Vines

DATA PROCESSING ACTIVITY LIFECYCLE CONTROL

Field of the Invention

This invention relates to the field of data processing, and more particularly to data processing in a component-based business processing environment.

Background of the Invention

In a component-based business data processing environment, there are typically mixtures of data processing activities in a system at any one time. These activities may

UK9-99-128

10

have complex relationships and interdependencies, and the management of their deployment and life-cycles can be difficult and time-consuming for the system designer and programmer. To ease this management task, components (typically instances of objects in an object-oriented environment) are normally grouped in classes, with each object in a class having

the same characteristics as all others in its class. It is well-known in the art to have objects in classes with common run-time characteristics determined at the class level.

In such an environment, the life-cycle of a component normally follows the typical pattern of the life-cycle of an instance of an object in an object-oriented environment. That is, each component belonging to a particular class takes its characteristics from the class. Normally, the management of a component's life cycle is predetermined by settings given to the class of which it is a member.

An example of such an environment is an Enterprise Java Beans environment, in which Java Bean components are provided with deployment descriptors which contain settings to determine the characteristics of each instance of each Java Bean. When used as a business processing environment, the Enterprise Java Beans represent business activities which may be linked together in sequence, or sometimes executed in parallel, to perform business processing on behalf of client programs. Such an environment is described in Enterprise Java

10

25

Beans Technology, by Anne Thomas (published by Patricia Seybold Group), which is herein incorporated by reference. In such an environment, the degree of abstraction of the process of combining flexible components into a real-world runtime information processing system renders the problem of the detailed control of individual data processing elements and all their relationships with heterogeneous resources, extremely difficult.

A business model can be defined by a set of nested communicating business activities. Each activity performs a specified function based on the message it is passed when another activity communicates with it. One basis of such models is that each activity has no knowledge of the activities that it communicates with; it simply receives an input message and, when appropriate, generates an output message. The way the activities are wired together is defined in the business model and does not affect the processing of the activity.

An activity may be defined as an object that responds to one or more messages, which has runtime characteristics and state data, and which responds to a received message by performing some processing and producing an output message. Both the input and output messages are strictly defined for each activity. Such activities can be nested. That is, a first activity can initiate a second activity which performs

10

5

processing on behalf of the first activity and then returns control to the first activity.

Each activity has associated with it certain characteristics by which it may be controlled. It is known in the art to have components which have built-in mechanisms for managing themselves at run-time. Examples of such components are the Enterprise Java Beans already discussed, each of which has a deployment descriptor determined by the class of which Deployment descriptors typically contain it is a member. information that permits an activity to be, for example, recoverable, or to permit it to form part of a transactional entity so that its updates to a database may be coordinated with those of other transactions in the system. Enterprise Java Bean environment, the client creates beans (instances) when they are needed for a particular processing action, and destroys them when they are no longer needed for the particular processing action. This can be wasteful in its consumption of resources: where many clients are initiating and terminating processing in a busy environment, the system can be consuming considerable processing resource in the creation and destruction of these instances. Such environment is also rather rigid in that a whole class of beans must have the same deployment characteristics.

Summary of the Invention

Accordingly, in a first aspect, the present invention provides apparatus for processing business data processing

UK9-99-128 -4-

activities, said apparatus comprising: an activity instance; and a descriptor for said activity instance associated uniquely with said activity instance;

wherein said descriptor includes parameters for determining lifecycle behaviors of said activity instance.

Said descriptor is preferably programmable to modify said lifecycle behaviors according to a use made of said activity instance.

A use of said activity instance may be responsive to a request by a client. A use of said activity instance may be responsive to a request by an activity instance.

Said descriptor is preferably programmable to modify said lifecycle behaviors according to a position in a system hierarchy of said activity instance.

descriptor enables Preferably, said control activity instances. Preferably, said concurrency of descriptor enables control of re-creation of activity Preferably, said descriptor enables control of instances. termination of activity instances. Preferably, said descriptor permits creation of an activity instance identifier.

In a second aspect, the present invention provides a method for processing business data processing activities,

UK9-99-128

5

said method comprising the steps of: defining activity lifecycle characteristics in a descriptor;

associating said descriptor uniquely with an activity instance; and using said descriptor to control a lifecycle of said activity instance.

Preferably, said descriptor is programmable to enable definition of varying activity lifecycle characteristics according to a use made of said activity instance. Said use of said activity instance may be responsive to a request by a client. Said use of said activity instance may be responsive to a request by an activity instance.

Preferably, said descriptor is programmable to modify said lifecycle behaviors according to a position in a system hierarchy of said activity instance.

Said descriptor preferably enables control of concurrency of activity instances. Said descriptor preferably enables control of re-creation of activity instances. Said descriptor preferably enables control of termination of activity instances. Said descriptor preferably permits creation of an activity instance identifier.

In a third aspect, the present invention provides a computer program product comprising computer program instructions stored on a computer-readable medium for, when

25

loaded into a computer and executed, causing the computer to carry out the steps of the method of the second aspect.

In business-model-driven systems it is necessary to control the lifecycle of each activity instance, that is when should the activity instance be created and when should it be destroyed. The lifecycle of activity instances might need to cover the following scenarios:

- 1. An activity instance that is created when it receives a message.
- 2. An activity instance that is created before it receives a message.
- 3. An activity instance that processes a single message.
- 4. An activity instance that processes many messages.

In addition, an activity instance that processes many messages may need to be identifiable so that once it has been created it can be recontacted. In this way when a message is received it can be processed either by a new or an existing instance of the activity, based on information passed on the message.

20

15

10

5

The present invention enables the specification of activity lifecycle characteristics in the business model. This is in the form of properties assigned to each activity. These properties are then interpreted by the system in order to manage the lifecycle of the activities wherever possible.

The present invention advantageously relieves activities from the processing burden of managing their own lifecyles. The lifecycle properties are specified when the business model is defined and are handled by the system. The present invention also avoids the lack of flexibility of the class-based deployment descriptor mechanism of the EJB environment.

Brief Description of the Drawings

A preferred embodiment of the present invention will now be described by way of example, with reference to the drawings in which:

FIGURE 1 shows a data processing system according to the prior art.

FIGURE 2 shows a data processing system of a preferred embodiment of the present invention.

FIGURE 3 is a flow chart showing a sequence of processing steps according to a method of the preferred embodiment.

-8-

5

10

<u>Detailed Description of a Preferred Embodiment of the</u> Invention

Figure 1 shows a data processing system (100) having a client program (102) and Enterprise Java Beans, or EJBs (104, 106, 108). The EJBs (104, 106, 108) perform business processing in system (100) when they are instantiated at the request of client program (102). The EJBs (104, 106, 108) shown in the present exemplary drawing belong to the same class. This is of a course, a simplification; in reality, there would be many more EJBs in the system, and they would typically belong to many classes.

Each EJB class has a deployment descriptor associated with it. In the present simplified example, all the EJBs (104, 106, 108) belong to the same class, and therefore have the same deployment descriptor (110).

The deployment descriptor (110) contains a set of properties which determine run-time characteristics of each EJB (104, 106, 108) in the class. Thus, although client program (102) causes EJB1 (104) to be instantiated, EJB1's run-time characteristics are determined by its membership of the same class as EJB2 (106) and EJB3 (108). Should there be a need to use the function of EJB1 (104) at a different level in the system hierarchy, for example, as a parent transaction with nested sub-transactions in an extended transaction structure, it must be re-created with an assignment to a different class in order for run-time characteristics to be assigned

UK9-99-128

appropriately to its new function. When this is done, it will, of course, share its run-time characteristics with all the other members of that class.

5

The preferred embodiment of the present invention advantageously alleviates these problems in the prior art.

Figure 2 shows a data processing system according to the preferred embodiment of the present invention, the data processing system (200) having a client program (202) and activities (204, 206, 208). The activities (204, 206, 208) perform business processing in system (200) when they are instantiated under the control of lifecycle properties. The activities (204, 206, 208) shown in the present exemplary drawing do not need to belong to the same class; they may or may not have the same run-time characteristics and this is wholly independent of their class membership. The lifecycle properties are associated with an activity, and therefore may vary depending on the use to which that instance is being put.

20

Each activity has a descriptor associated with it. Each of the activities (204, 206, 208) has its own descriptor (respectively 210, 212, 214). The descriptors (210, 212, 214) contain sets of properties which determine run-time characteristics of the respective activities (204, 206, 208) when they are instantiated. Thus, when client program (202) causes an instance of an activity (for example, 204) to start

25

5

10

by issuing a message requiring business processing to take place, it has no knowledge of the identity or characteristics of the activity instance. Thus, the client has no knowledge of, for example, the identity of the activity, nor whether an activity instance already exists before the client input, nor whether an activity instance continues to exist after the response message has been received by the client. For example, the decisions as to whether a new activity instance is required to service an input message from a client, and whether the activity instance is to be retained for reuse after responding to the client, are determined by the lifecycle properties associated uniquely with that activity.

This makes it possible to assign, for example, the following properties to an activity:

An activity can be lazy or eager, that is:

lazy : An activity instance is created only when a message is sent for it to process.

eager: An activity instance is started automatically when its parent activity instance is started.

20

5

An activity can be defined as having one of the following concurrency characteristics: per-message or multi-message or switched-input; that is:

per-message : An activity instance is given one message (or set of messages) and is destroyed when it has finished processing that message.

multi-message : An activity instance has no
limit to the number of messages (or sets of
messages) that it can receive. Such an activity
instance must either destroy itself or be destroyed
when its parent activity is destroyed.

is assigned an identifier that is returned to the sender.

When a message is received if it specifies the identifier of an existing activity instance, the message is given to that instance otherwise a new activity instance is created to handle the message.

Clearly, this list of examples of settings is not exhaustive. Those skilled in the art will see that there are

other possible lifecycle-related settings that can be stored and used to control activity instances using the same structures.

It will also be clear to those skilled in the art that an activity instance may be described in software terms as comprising elements of program code and data. It may also, clearly, be described as an instantiated arrangement or configuration of binary electronic switch values embodied in a memory. Similarly, while a descriptor may be described as a software element, it is also clearly a structure of data physically embodied in binary electronic switch values in a memory.

In Figure 3, the steps of the method of the preferred embodiment are shown. In step (300), the activity lifecycle characteristics are accepted and stored in the descriptor. In step (302), the lifecycle descriptor is uniquely associated with an activity. In step (304), when an activity is instantiated, its lifecycle is controlled on the basis of the settings in the descriptor.

-13-

What is claimed is:

- 1 1. Apparatus for processing business data processing
- 2 activities, said apparatus comprising:
- 3 an activity instance; and
- a descriptor for said activity instance associated uniquely with said activity instance;
 - wherein said descriptor includes parameters for determining lifecycle behaviors of said activity instance.
 - 2. Apparatus as claimed in claim 1 wherein said descriptor is programmable to modify said lifecycle behaviors according to a use made of said activity instance.
 - 3. Apparatus as claimed in claim 2 wherein said use of said activity instance is responsive to a request by a client.
- 4. Apparatus as claimed in claim 2 wherein said use of said activity instance is responsive to a request by an activity instance.
- 1 5. Apparatus as claimed in claim 1, wherein said descriptor 2 is programmable to modify said lifecycle behaviors according 3 to a position in a system hierarchy of said activity instance.

8

- 1 6. Apparatus as claimed in claim 1, wherein said descriptor 2 enables control of concurrency of activity instances.
- 7. Apparatus as claimed in claim 1, wherein said descriptor enables control of re-creation of activity instances.
- 1 8. Apparatus as claimed in claim 1, wherein said descriptor 2 enables control of termination of activity instances.
 - 9. Apparatus as claimed in claim 1, wherein said descriptor permits creation of an activity instance identifier.
 - 10. A method for processing business data processing activities, said method comprising the steps of:

defining activity lifecycle characteristics in a descriptor;

associating said descriptor uniquely with an activity instance; and

- using said descriptor to control a lifecycle of said activity instance.
- 1 11. A method as claimed in claim 10, wherein said descriptor 2 is programmable to enable definition of varying activity

- lifecycle characteristics according to a use made of said activity instance.
- 1 12. A method as claimed in claim 11 wherein said use of said activity instance is responsive to a request by a client.
- 1 13. A method as claimed in claim 11 wherein said use of said 2 activity instance is responsive to a request by an activity 3 instance.
 - 14. A method as claimed in claim 10, wherein said descriptor is programmable to modify said lifecycle behaviors according to a position in a system hierarchy of said activity instance.
 - 15. A method as claimed in claim 10, wherein said descriptor enables control of concurrency of activity instances.
 - 16. A method as claimed in claim 10, wherein said descriptor enables control of re-creation of activity instances.
- 1 17. A method as claimed in claim 10, wherein said descriptor 2 enables control of termination of activity instances.
- 1 18. A method as claimed in claim 10, wherein said descriptor 2 permits creation of an activity instance identifier.

1

2

3

4

- 1 19. A computer program product comprising computer program
 2 instructions stored on a computer-readable medium for, when
 3 loaded into a computer and executed, causing the computer to
 4 carry out the steps of the method as claimed in claim 10.
 - 20. A computer program product as claimed in claim 19, wherein said descriptor is programmable to enable definition of varying activity lifecycle characteristics according to a use made of said activity instance.
 - 21. A computer program product as claimed in claim 20 wherein said use of said activity instance is responsive to a request by a client.
 - 22. A computer program product as claimed in claim 20 wherein said use of said activity instance is responsive to a request by an activity instance.
 - 23. A computer program product as claimed in claim 19, wherein said descriptor is flexibly programmable to modify said lifecycle behaviors according to a position in a system hierarchy of said activity instance.

-17-

ABSTRACT OF THE DISCLOSURE

Disclosed is apparatus for processing business data processing activities, the apparatus comprising: an activity instance; and a descriptor for the activity instance associated uniquely with the activity instance; wherein the descriptor includes parameters for determining lifecycle behaviors of said activity instance. The descriptor may be programmable to modify the lifecycle behaviors according to a use made of said activity instance. The use of the activity instance may be responsive to a request by a client. It may also be responsive to a request by an activity instance. The descriptor may be programmable to modify the lifecycle behaviors according to a position in a system hierarchy of the activity instance.




FIGURE 1




FIGURE 2




FIGURE 3

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

DATA PROCESSING ACTIVITY LIFECYCLE CONTROL

the spe	ecification of which (che	ck one)		
x	is attached hereto.			
	was filed on as Application Serial N and was amended on	lo.		
			and the contents of the a liment referred to above.	bove identified specification,
	owledge the duty to disc ordance with Title 37, CF		hich is material to the pa	tentability of this application
or inve	ntor's certificate listed b	elow and have al	so identified below any f	eign application(s) for patent oreign application for patent on which priority is claimed:
	Prior Foreign Application	on(s):		
	Number	Country	Filing Date Day/Month/Year	YesXNo Priority Claimed
insofar States the dut CFR 1	as the subject matter of application in the mann- y to disclose information	each of the claims er provided by the n material to the p ween the filing da	s of this application is not first paragraph of Title 3 patentability of this applic	plication(s) listed below and, disclosed in the prior United 85, USC 112, I acknowledge eation as defined in Title 37, on and the national or PCT
	Prior U.S. Applications	:		
	Serial No.	 Filina Da	ate S	Status

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Edward H. Duffield, Reg. No. 25,970; A. Bruce Clay, Reg. No. 32,121; Gregory M. Doudnikoff, Reg. No. 32,847; Jeanine S. Ray-Yarletts, Reg. No. 39,808; Jerry W. Herndon, Reg. No. 27,901; Kevin J. Fournier, Reg. No. 34,333.

Send all correspondence to:

Edward H. Duffield IBM Corp, IP Law Dept T81/B062, 3039 Cornwallis Road, PO Box 12195, Research Triangle Park, NC 27709-2195.

FULL NAME OF SOLE OR FIRST INVENTOR: JOHN ANTHONY BEAVEN

INVENTOR'S SIGNATURE:

JAn Anthony Beauen DATE: 30/11/190

RESIDENCE:

Stonehaven, Hook Crescent, Ampfield, Romsey, Hampshire

SO51 9DE, United Kingdom

CITIZENSHIP:

British

POST OFFICE ADDRESS:

As above

FULL NAME OF SECOND INVENTOR:

AMANDA ELIZABETH CHESSELL

INVENTOR'S SIGNATURE:

Mounda Elizabeth Clarel DATE: 30/11/1999

RESIDENCE:

10 Lymington Rise, Four Marks, Alton, Hampshire GU34 5BA,

United Kingdom

CITIZENSHIP:

British

POST OFFICE ADDRESS:

As above

FULL NAME OF THIRD INVENTOR:

CATHERINE GRIFFIN

INVENTOR'S SIGNATURE:

Catherine Griffin. DATE: 30/11/99

RESIDENCE:

33 Holyborne Road, Romsey, Hampshire SO51 5QW, United

Kingdom

CITIZENSHIP:

British

POST OFFICE ADDRESS:

As above

FULL NAME OF FOURTH INVENTOR: IAIN STUART CALDWELL HOUSTON						
INVENTOR'S SIGNATURE!	mituant Caldwell for State: 30/11/99					
RESIDENCE:	1 Coombe Cottage, North Street, Bradford Abbas, Sherborne, Dorset DT9 6SD, United Kingdom					
CITIZENSHIP:	British					
POST OFFICE ADDRESS:	As above					
FULL NAME OF FIFTH INVENTOR:	MARTIN MULHOLLAND					
INVENTOR'S SIGNATURE:	Ma.: MILLA DATE: 30/11/99					
RESIDENCE:	Jasmine, Main Road, Otterbourne, Winchester, Hampshire SO21 2EE, United Kingdom					
CITIZENSHIP:	British					
POST OFFICE ADDRESS:	As above					
FULL NAME OF SIXTH INVENTOR:	IAN ROBINSON					
INVENTOR'S SIGNATURE:	DATE: 30t Nameles 1999					
RESIDENCE:	29 Spring Lane, Swanmore, Southampton, Hampshire SO32 2PT, United Kingdom					
CITIZENSHIP:	British					
POST OFFICE ADDRESS:	As above					
FULL NAME OF SEVENTH INVENTO	R: DAVID JOHN VINES					
INVENTOR'S SIGNATURE:	David John Vives DATE: 30th November 1999					
RESIDENCE:	21 Feltham Close, Halterworth, Romsey, Hampshire SO51 8PB, United Kingdom					
CITIZENSHIP:	British					

POST OFFICE ADDRESS: As above